

Indiana Department of Environmental Management

We make Indiana a cleaner, healthier place to live.

Frank O'Bannon Governor

Lori F. Kaplan Commissioner

August 21, 2003

100 North Senate Avenue P.O. Box 6015 Indianapolis, Indiana 46206-6015 (317) 232-8603 (800) 451-6027 www.in.gov/idem

TO: Interested Parties / Applicant

RE: Girtz Industries, Inc. / 181-17458-00038

FROM: Paul Dubenetzky

> Chief, Permits Branch Office of Air Quality

Notice of Decision: Approval - Registration

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 4-21.5-3-4(d) this order is effective when it is served. When served by U.S. mail, the order is effective three (3) calendar days from the mailing of this notice pursuant to IC 4-21.5-3-2(e).

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, ISTA Building, 150 W. Market Street, Suite 618, Indianapolis, IN 46204, within eighteen (18) calendar days of the mailing of this notice. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- the date the document is delivered to the Office of Environmental Adjudication (OEA); (1)
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- the name and address of the person making the request; (1)
- (2) the interest of the person making the request;
- identification of any persons represented by the person making the request; (3)
- the reasons, with particularity, for the request; (4)
- the issues, with particularity, proposed for considerations at any hearing; and (5)
- (6)identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027. ext. 3-0178.

> Enclosures FN-REGIS.dot 8/11/03



Indiana Department of Environmental Management



Lori F. Kaplan

Commissioner

We make Indiana a cleaner, healthier place to live.

100 North Senate Avenue P. O. Box 6015 Indianapolis, Indiana 46206-

6015

(317) 232-8603

August 21, 2003

(800) 451-6027 www.state.in.us/idem

Michael Keever Girtz Industries. Inc. 5262 North East Shafer Drive Monticello, Indiana 47960

Re: 181-17458

Second Notice-only change to Registration 181-13600-00038

Dear Mr. Keever:

Girtz Industries, Inc. was issued a registration on January 16, 2002 for an abrasive blasting and painting operation. A letter notifying the Office of Air Quality of the addition of two (2) new emission units was received on June 25, 2003. Pursuant to the provisions of 326 IAC 2-5.5-6(d), the registration is hereby revised as follows:

- 1. Addition of one (1) natural gas fired drying oven, with a maximum heat input capacity of 2.0 MMBtu per hour.
- 2. Addition of one (1) natural gas fired controlled pyrolysis cleaning furnace, with a maximum heat input capacity of 0.5 MMBtu per hour.
- 3. Since 326 IAC 6-3 was updated on August 1, 2002, IDEM OAQ has updated Condition 2 and 3 so that the correct title for 326 IAC 6-3, "Particulate Emission Limitation for Manufacturing Processes", is reflected in the revised registration.

All other conditions of the registration shall remain unchanged and in effect. Please find attached a copy of the revised registration.

Pursuant to Contract No. A305-0-00-36, IDEM, OAQ has assigned the processing of this application to Eastern Research Group, Inc., (ERG). Therefore, questions should be directed to Sanober Durrani, ERG, 1600 Perimeter Park Drive, Morrisville, North Carolina 27560, or call (919) 468-7810 to speak directly to Ms. Durrani. Questions may also be directed to Duane Van Laningham at IDEM, OAQ, 100 North Senate Avenue, P.O. Box 6015, Indianapolis, Indiana, 46206-6015, or call (800) 451-6027, and ask for Duane Van Laningham, or extension 3-6878, or dial (317) 233-6878.

> Sincerely, Original signed by Paul Dubenetzky, Chief Permits Branch Office of Air Quality

Attachments

Girtz Industries Page 2 of 2 NOC: 181-17458-00038 Monticello, Indiana

Permit Reviewer: ERG/SD

ERG/SD

File - White County cc:

White County Health Department

Air Compliance Section Inspector -Wanda Stanfield Compliance Data Section -Karen Nowak Administrative and Development - Sarah Cloe Technical Support and Modeling - Michele Boner

Indiana Department of Environmental Management

ADERSTNESS CERNIN

Lori F. Kaplan

We make Indiana a cleaner, healthier place to live.

100 North Senate Avenue P. O. Box 6015

Indianapolis, Indiana 46206-

6015

(317) 232-8603

(800) 451-6027 www.state.in.us/idem

Commissioner

August 22, 2003

Mr. Michael Keever Girtz Industries, Inc. 5262 North East Shafer Drive Monticello, Indiana 47960

> Re: Revised Registration 181-17458-00038

> > Second Notice-only change to Registration

181-13600-00038

Dear Mr. Keever:

The renewal application from Girtz Industries, received on December 8, 2000, has been reviewed. Based on the data submitted and the provisions in 326 IAC 2-5.5, it has been determined that the following paint booth and abrasive blasting operation, located at 5262 N. East Shafer Drive, Monticello, Indiana, is classified as registered:

- (a) One (1) paint booth with a maximum capacity of 117 metal containers per month and 50 exhaust diverters per year, controlled with a corrugated paper filter which exhausts to stack #1 with a maximum flow rate of 30,000 acfm.
- (b) One (1) abrasive blasting operation with a maximum abrasive flow rate of 290 lb/hr and a nozzle pressure of
- One (1) natural gas fired drying oven with a maximum heat input capacity of 2.0 MMBtu per hour. (c)
- (d) One (1) natural gas fired controlled pyrolysis cleaning furnace with a maximum heat input capacity of 0.5 MMBtu per hour.

The following conditions shall be applicable:

- 1. Pursuant to 326 IAC 5-1-2 (Opacity Limitations) except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following:
 - (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
 - Opacity shall not exceed sixty percent (60%) for more than a cumulative total of 15 minutes (b) (60 readings) in a 6-hour period as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuos opacity monitor in a six (6) hour period.
- 326 IAC 6-3-2 (Particulate Emission Limitation for Manufacturing Processes) 2. Pursuant to 181-8591-00038, issued on June 12, 1997, the particulate matter (PM) from the abrasive blasting operation shall be limited to 2.4 pounds per hour.

Page 2 of 4 181-17458-00038

Girtz Industries Monticello, Indiana Permit Reviewer: ERG/SD

3. Pursuant to 326 IAC 6-3-2 (Particulate Emission Limitation for Manufacturing Processes) the particulate matter (PM) from the spray paint booth shall be limited by the following equation:

Interpolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

E = 4.10 P 0.67 where E = rate of emission in pounds per hour and P = process weight rate in tons per hour

The dry filter shall be in operation at all times the paint booth is in operation, in order to comply with this limit.

- 4. In order to maintain Registration status, the source must maintain records of the surface coating and solvent used and the VOC and HAP content. The volatile organic compound emissions from the spray paint booth shall not exceed 25 tons per year and the hazardous air pollutant from the spray paint booth shall not exceed ten (10) tons per year or 25 tpy of any combination of HAPs.
- 5. Pursuant to 326 IAC 2-5.5-1, the potential to emit of all hazardous air pollutants combined from the spray paint booth shall not exceed twenty-five (25) tons per year.
- Pursuant to 326 IAC 8-2-9 (Miscellaneous Metal Coating Operations), the volatile organic compound (VOC) content of coating delivered to the applicator at the spray booth shall be limited to 3.5 pounds of VOCs per gallon of coating less water, for forced warm air dried coatings.

Solvent sprayed from application equipment during cleanup or color changes shall be directed into containers. Such containers shall be closed as soon as such solvent spraying is complete, and the waste solvent shall be disposed of in such a manner that evaporation is minimized.

This registration is a renewal issued to this source. The source may operate according to 326 IAC 2-5.5.

An authorized individual shall provide an annual notice to the Office of Air Quality that the source is in operation and in compliance with this registration pursuant to 326 IAC 2-5.5-4(a)(3)). The annual notice shall be submitted to:

Compliance Branch Office of Air Quality 100 North Senate Avenue P.O. Box 6015 Indianapolis, IN 46206-6015

no later than March 1 of each year, with the annual notice being submitted in the format attached.

Girtz Industries Page 3 of 4
Monticello, Indiana 181-17458-00038

Permit Reviewer: ERG/SD

An application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source.

Sincerely,
Original signed by
Paul Dubenetzky, Chief
Permits Branch
Office of Air Quality

ERG/SD

cc: File - White County

White County Health Department Air Compliance -Wanda Stanfield Permit Tracking - Sara Cloe

Technical Support and Modeling - Michele Boner

Compliance Data Section - Karen Nowak

Registration Annual Notification

This form should be used to comply with the notification requirements under 326 IAC 2-5.5-4(a)(3)

Company Name:	Girtz Industries			
Address:	5262 N. East Shafer Drive			
City:	Monticello, Indiana 47960			
Authorized individual:	Safety Coordinator			
Phone #:	(219) 278-7510			
Registration #:	181-17458-00038			

I hereby certify that Girtz Industries is still in operation and is in compliance with the requirements of Registration 181-17458-00038.

Name (typed):	
Title:	
Signature:	
Date:	

Appendix A: Emission Calculations One (1) Drying Oven, and One (1) Furance

Company Name: Girtz Industries, Inc.

Address: 5262 North East Shafer Drive, Monticello, Indiana 47960

Registration: 181-17458 Plt ID: 181-00038 Reviewer: ERG/SD

Date: July 16, 2003

Heat Input Capacity Potential Throughput MMBtu/hour MMCF/year

2.50 (2 Units Total) 21.9

Pollutant

1 PHATEIN							
	PM*	PM10*	SO ₂	NO _x	VOC	CO	
Emission Factor (lb/MMCF)	7.6	7.6	0.6	100.0	5.5	84.0	
				**see below			
Potential To Emit (tons/year)	0.08	0.08	0.01	1.1	0.06	0.9	

^{*}PM and PM10 emission factors are filterable and condensible PM and PM10 combined.

Emission factors are from AP-42, Chapter 1.4, Tables 1.4-1, 1.4-2, and 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03 (July, 1998).

All Emission factors are based on normal firing.

MMBtu = 1,000,000 Btu

MMCF = 1,000,000 Cubic Feet of Gas

METHODOLOGY

Potential Throughput (MMCF/year) = Heat Input Capacity (MMBtu/hr) * 8760 hours/year * 1 MMCF/1000 MMBtu Potential To Emit (tons/year) = Potential Throughput (MMCF/year) * Emission Factor (lb/MMCF) * 1 ton//2000 lbs

See page 2 for HAPs emissions calculations.

^{**}Emission factors for NO_x: Uncontrolled = 100, Low NO_x Burner = 50, Low NO_x Burners/Flue gas recirculation = 32

Appendix A: Emission Calculations One (1) Drying Oven, and One (1) Furance

Company Name: Girtz Industries, Inc.

Address: 5262 North East Shafer Drive, Monticello, Indiana 47960

Registration: 181-17458
Plt ID: 181-00038
Reviewer: ERG/SD
Date: July 16, 2003

HAPs - Organics

Tira e erganice					
Emission Factor (lb/MMCF)	Benzene 2.1E-03	Dichlorobenzene 1.2E-03	Formaldehyde 7.5E-02	Hexane 1.8E+00	Toluene 3.4E-03
Potential To Emit (tons/year)	2.300E-05	1.314E-05	8.213E-04	1.971E-02	3.723E-05

HAPs - Metals

Emission Factor (lb/MMCF)	Lead	Cadmuim	Chromium	Manganese	Nickel
	5.0E-04	1.1E-03	1.4E-03	3.8E-04	2.1E-03
Potential To Emit (tons/year)	5.475E-06	1.205E-05	1.533E-05	4.161E-06	2.300E-05

Methodology is the same as previous page.

The five highest organic and metal HAPs emission factors provided above are from AP-42, Chapter 1.4, Table 1-4.2, 1.4-3 and 1.4-4 (July, 1998). Additional HAPs emission factors are available in AP-42, Chapter 1.4.